

AMS-L^AT_EX Reference Card #1

See the T_EX Reference Card for additional commands.

Required packages are indicated as (package).

Document Structure

• Preamble

```
\documentclass[option(s)]{class}
\usepackage[option(s)]{package(s)}
\begin{document}
```

• Body

• **Front Matter** (\frontmatter in book classes)

• Top Matter

```
\title{...}
\title[running head]{...} alternative headline
\date{...}
\date{\today} gives current date
\author{...}
```

```
\maketitle (not in book classes)
```

• Additional items — ams classes only

```
\translator{...}
\dedicatory{...}
\address[optional name]{...}
\curraddress{...}
\email[optional name]{...}
\thanks{...}
\subjclass{Primary: XXX; Secondary: XXX}
\keywords{...}
\thanks{...}
```

```
\tableofcontents
```

```
\chapter{Introduction} (in book classes)
```

• Abstract (not in book classes)

```
\begin{abstract}... \end{abstract}
```

• Main Matter (\mainmatter in book classes)

```
\chapter{...}
\section{...}
\subsection{...}
\appendix
```

• Back Matter (\backmatter in book classes)

```
\begin{thebibliography}{99}... \end{...}
```

```
\end{document}
```

Page Style

```
\pagestyle{style} set page style to one of:
plain empty header, page number in footer
empty empty header and footer
headings header filled by doc class, empty footer
myheadings empty footer, fill header with info in
\markboth{lefthead}{righthead}
and \markright{righthead}
```

```
\thispagestyle{style} set \pagestyle, only current page
fancyheadings package allows custom headers and footers
```

• Page Style Parameters

```
\hoffset, \voffset move page right, down
\paperwidth, \paperheight, \textheight, \textwidth
\topmargin, \headheight, \headsep, \footskip
```

Bibliography (see also BIB_TE_X)

```
\begin{thebibliography}{99}... \end{...}
bibliography with widest label specified
\bibitem{name} named bibliography item
\bibitem[label]{name} with alternative label to print
\bysame use long line for same author
\renewcommand{\bibname}{title} use custom title
\cite{name} print number of named bib item
\cite[text]{name} with extra text
```

Classes and Packages

```
\documentclass[option(s)]{class}
\usepackage[option(s)]{package(s)}
\NeedsTeXFormat{LaTeX2e}[1994/12/01]
```

• Document Classes

article, book, letter, report, slides
amsart, amsbook, amsproc (all autoload amsmath)

• Useful Packages

amsmath, amsthm, amscd, amssymb
latexsym, graphics
fancyheadings allows custom headers and footers
alltt all teletype, even \,{}
makeidx, showidx create index, show in margin
graphics inclusion of graphics
enumerate extends the enumerate environment
layout shows page layout of doc class
multicol flexible multicolumn typesetting
showkeys print label keys in margin
verbatim extends verbatim environment

• Document and Package Options

Font Size
8pt, 9pt, 10pt, 11pt, 12pt
Paper Size
a4paper, a5paper, b5paper, legalpaper, letterpaper
Document Preparation
draft, final, notitlepage, titlepage
Page Formatting
onecolumn, twocolumn, oneseide, twoside, openany, openright
Equation Numbering
fleqn, leqno, reqno, centertags, tbtags
Equation Limits
intllimits, sumlimits, nonamlimits
AMS (Postscript) Fonts
psamsfonts, noamsfonts

Cross Referencing and Numbering

```
\label{name} assign label name to numbered item
\ref{name} print number of named item
\eqref{name} print number in parentheses (amsmath)
\pageref{name} print page location of named item
\cite{name} print number of named bibliography item
\cite[text]{name} with extra text
\numberwithinsection{equation}{section} number by section
```

Sectioning and Table of Contents

• Sectioning commands

```
\command{title} sectioning command with title
\command[head]{title} with alternative running head
\command*{title} with number suppressed
\part \section \paragraph
\chapter \subsection \subparagraph
\subsubsection
```

```
\appendix start appendix
```

• Table of Contents

```
\tableofcontents create and print contents
filename.toc contents associated to filename.tex
\addcontentsline{toc}{section}{line to add}
\addtocontents{toc}{material to add}
```

Tables and Figures

```
\begin{table} ... \caption{text} \label{name} \end{table}
\listoftables create and print list of tables
\begin{figure} ... \caption{text} \label{name} \end{figure}
\includegraphics{filename} include image (graphics)
\scaledbox{.5}{\includegraphics{filename}} scaled graphic
\listoffigures create and print list of figures
```

Lists

```
\item item within list
\item[label] item with label
\begin{enumerate}... \end{...} numbered items
\begin{itemize}... \end{...} bulleted items
\begin{description}... \end{...} captioned items
enumerate package extends enumerate
```

Displayed Text Material

```
\begin{center}... \end{...} centered material
\begin{flushright}... \end{...} flush right material
\begin{flushleft}... \end{...} flush left material
\begin{quote}... \end{...} short quote
\begin{quotation}... \end{...} long quote
\begin{verse}... \end{...} poetry
\begin{verbatim}... \end{...} verbatim material
\verb|...| verbatim material
\verb*|...| verbatim with spaces marked
verbatim package extends verbatim
```

Footnotes, Comments, Other Stuff

```
\footnote{text} numbered footnote
% comment out a line
\begin{comment}... \end{...} long comment (verbatim)
\typeout{text} print to terminal
\typein{text} get input from keyboard
\typein[\cmd]{text} assign input to \cmd
\protect protects fragile commands
\~ optional hyphen
\hyphenation{hyphenated words} extra hyphenated words
```

Dimensions, Spacing, and Glue

Dimensions are specified as $\langle \text{number} \rangle \langle \text{unit of measure} \rangle$.
 Glue is specified as $\langle \text{dimen} \rangle \text{plus} \langle \text{dimen} \rangle \text{minus} \langle \text{dimen} \rangle$.

point	pt	pica	pc	inch	in	centimeter	cm
m width	em	x height	ex	math unit	mu	millimeter	mm

1 pc = 12 pt | 1 in = 72.72 pt | 2.54 cm = 1 in | 18 mu = 1 em

\backslash \quad \quad white space (1 space, 1 em, 2 em)

$\backslash \text{hspace}\{10\text{pt}\}$ specified horizontal space
 $\backslash \text{hspace}\ast\{10\text{pt}\}$ space even at line start

Horizontal Spacing (Math): \backslash , thin space \backslash : med space
 \backslash ; thick space $\backslash!$ neg. thin space $\backslash \text{mspace}\langle \text{muglue} \rangle$

$\backslash \text{strut}$, $\backslash \text{mathstrut}$ invisible vertical space
 $\backslash \text{phantom}\{...\}$ invisible space
 $\backslash \text{phantom}\{...\}$ invisible vertical space
 $\backslash \text{smash}\{...\}$ typeset w/zero height,depth
 $\backslash \text{hfill}$ fill with space
 $\backslash \text{dotfill}$ fill with dots
 $\backslash \text{hrulefill}$ fill with rule (line)
 $\backslash \text{par}$ new paragraph
 $\backslash \text{newline}$ or $\backslash \backslash$ force a new line
 $\backslash \backslash \ast$ new line, prohibit page break
 $\backslash \backslash [5\text{pt}]$ new line skipping 5 pts
 $\backslash \text{vspace}\{1\text{in}\}$ specified vertical space
 $\backslash \text{vspace}\ast\{1\text{in}\}$ space even at page start
 $\backslash \text{newpage}$ force a new page

• Length Variables

$\backslash \text{newlength}\{\langle \text{length} \rangle\}$ create length variable $\langle \text{length} \rangle$
 $\backslash \text{setlength}\{\langle \text{length} \rangle\}\langle \text{dimen} \rangle$ set value of $\langle \text{length} \rangle$
 $\backslash \text{addtolength}\{\langle \text{length} \rangle\}\langle \text{dimen} \rangle$ increase $\langle \text{length} \rangle$

• Useful Length Assignments

$\backslash \text{enlargethispage}\{\langle \text{baselineskip} \rangle\}$ force extra line
 $\backslash \text{setlength}\{\langle \text{hangindent} \rangle\}\{30\text{pt}\}$ indentation
 $\backslash \text{setlength}\{\langle \text{hangafter} \rangle\}\{3\}$ indent after
 $\backslash \text{renewcommand}\{\langle \text{baselinestretch} \rangle\}\{2\}$ doublespaced

Accents

Type	Example	In Math	In Text
hat	\hat{a}	$\backslash \text{hat}$	$\backslash \text{^}$
expanding hat	\widehat{abc}	$\backslash \text{widehat}$	none
check	\check{a}	$\backslash \text{check}$	$\backslash \text{v}$
tilde	\tilde{a}	$\backslash \text{tilde}$	$\backslash \text{~}$
expanding tilde	\widetilde{abc}	$\backslash \text{widetilde}$	none
acute	\acute{a}	$\backslash \text{acute}$	$\backslash \text{'}$
grave	\grave{a}	$\backslash \text{grave}$	$\backslash \text{'}$
dot	\dot{a}	$\backslash \text{dot}$	$\backslash \text{.}$
double dot	\ddot{a}	$\backslash \text{ddot}$	$\backslash \text{"}$
breve	\breve{a}	$\backslash \text{breve}$	$\backslash \text{u}$
bar	\bar{a}	$\backslash \text{bar}$	$\backslash \text{=}$
vector	\vec{a}	$\backslash \text{vec}$	none
cedilla	ç	none	$\backslash \text{c}$

Tabbing Environment

$\backslash \text{begin}\{\text{tabbing}\}\dots \backslash \text{end}\{...\}$ tabbing environment
 $\backslash =$ set tab
 $\backslash \backslash$ end line
 $\backslash >$ move to next tab
 $\backslash \text{kill}$ do not print line

Fonts

• Text Fonts

$\backslash \text{normalfont}\{...\}$ $\{\backslash \text{normalfont}\dots\}$ document font
 $\backslash \text{textrm}\{...\}$ $\{\backslash \text{rmfamily}\dots\}$ roman
 $\backslash \text{textsf}\{...\}$ $\{\backslash \text{sfamily}\dots\}$ sans serif font
 $\backslash \text{texttt}\{...\}$ $\{\backslash \text{ttfamily}\dots\}$ typewriter style
 $\backslash \text{textbf}\{...\}$ $\{\backslash \text{bfseries}\dots\}$ **bold**
 $\backslash \text{textup}\{...\}$ $\{\backslash \text{upshape}\dots\}$ upright
 $\backslash \text{textit}\{...\}$ $\{\backslash \text{itshape}\dots\}$ *italic*
 $\backslash \text{textsl}\{...\}$ $\{\backslash \text{slshape}\dots\}$ *slanted*
 $\backslash \text{textsc}\{...\}$ $\{\backslash \text{scshape}\dots\}$ SMALL CAPITALS
 $\backslash \text{emph}\{...\}$ $\{\backslash \text{em}\dots\}$ *emphasize*
 $\backslash \text{fbox}\{...\}$ $\{\backslash \text{fbox}\dots\}$ **framed text**

• **Font Environments** exist for above types, e.g.,

$\backslash \text{begin}\{\text{ttfamily}\}\dots \backslash \text{end}\{...\}$

• Changing Font Sizes

$\backslash \text{tiny}$, $\backslash \text{scriptsize}$, $\backslash \text{footnotesize}$, $\backslash \text{small}$
 $\backslash \text{normalsize}$, $\backslash \text{large}$, $\backslash \text{Large}$, $\backslash \text{LARGE}$, $\backslash \text{huge}$, $\backslash \text{Huge}$

• Math Fonts

$\backslash \text{mathrm}\{...\}$ roman
 $\backslash \text{mathbf}\{...\}$ **bold** (letters)
 $\backslash \text{boldsymbol}\{...\}$ **bold** (symbol) (amsmath)
 $\backslash \text{mathit}\{...\}$ *italic*
 $\backslash \text{mathcal}\{...\}$ calligraphic $\mathcal{A}, \mathcal{B}, \mathcal{C}$
 $\backslash \text{usepackage}\{eucal\}$ redef $\backslash \text{mathcal}$ to script $\mathcal{A}, \mathcal{B}, \mathcal{C}$
 $\backslash \text{mathfrak}\{...\}$ Fraktur $\mathfrak{A}, \mathfrak{a}, \mathfrak{B}, \mathfrak{b}$ (amsmath)
 $\backslash \text{mathbb}\{...\}$ Blackboard bold $\mathbb{A}, \mathbb{B}, \mathbb{C}$ (amsmath)
 $\backslash \text{boxed}\{...\}$ **framed math**

• Math Font Sizes

$\backslash \text{displaystyle}$ display size
 $\backslash \text{textstyle}$ text size
 $\backslash \text{scriptsize}$ sub/superscript size
 $\backslash \text{scriptscriptsize}$ doubly sub/superscripted size

Boxes

$\backslash \text{mbox}\{...\}$ one line of text
 $\backslash \text{text}\{...\}$ one line of text (amsmath)
 $\backslash \text{parbox}\{\text{width}\}\{\text{text}\}$ paragraph of text
 $\backslash \text{parbox}\{\text{align}\}\{\text{height}\}\{\text{inner align}\}\{\text{width}\}\{\text{text}\}$
 $\backslash \text{marginpar}\{...\}$ marginal comment
 $\backslash \text{rule}\{-1\text{pt}\}\{20\text{pt}\}\{10\text{pt}\}$ solid box ■
 $\backslash \text{raisebox}\{5\text{pt}\}\{\text{text}\}$ raised box
 $\backslash \text{makebox}\{\text{width}\}\{\text{alignment}\}\{\text{text}\}$ box of text
 $\backslash \text{framebox}\{\text{width}\}\{\text{alignment}\}\{\text{text}\}$ **framed text**

Overfull and Underfull Boxes

draft document class marks overfulls
 $\backslash \text{overfullrule}$ width of overfull marker
 $\backslash \text{begin}\{\text{setlength}\}\{\langle \text{hfuzz} \rangle\}\{2\text{pt}\}\dots \backslash \text{end}\{...\}$
 allow small overfulls

Multicolumn Printing

$\backslash \text{twocolumn}$ double column on new page
 $\backslash \text{onecolumn}$ single column on new page
 $\backslash \text{begin}\{\text{multicols}\}\{\langle n \rangle\}\{\text{title}\}\dots \backslash \text{end}\{...\}$
 multicolumn environment (**multicol**)

Array and Tabular Environments

$\backslash \text{begin}\{\text{tabular}\}\{\text{POS}\}\{\text{COLS}\}\dots \backslash \text{end}\{...\}$
 $\backslash \text{begin}\{\text{array}\}\{\text{POS}\}\{\text{COLS}\}\dots \backslash \text{end}\{...\}$
 Use tabular for text, array for mathematics
 $\&$, $\backslash \backslash$ column and row separators
 POS aligns top (t), bottom (b), center (default)
 COLS gives formats for columns:

l, c, r	left, center, right justified
	vertical rule
@{...}	material between columns
*{n}{...}	n copies of material
p{width}	set column width

$\backslash \text{hline}$ horizontal line between rows
 $\backslash \text{cline}\{i-j\}$ line across columns i to j
 $\backslash \text{multicolumn}\{n\}\{\text{COLS}\}\{\dots\}$
 span n columns using format in COLS

• Example of a table using $\backslash \text{tabular}$

$\backslash \text{begin}\{\text{table}\}$
 $\backslash \text{begin}\{\text{center}\}$
 $\backslash \text{begin}\{\text{tabular}\}\{\text{||c|c|}\}$ $\backslash \text{hline}$
 Name & Exam & Grade $\backslash \backslash \backslash \text{hline}$
 Dan & 97% & A $\backslash \backslash \backslash \text{hline}$
 $\backslash \text{end}\{\text{tabular}\}$
 $\backslash \text{caption}\{\text{Math 101 Final Grades}\}$
 $\backslash \text{label}\{\text{GradeTable}\}$
 $\backslash \text{end}\{\text{center}\}$
 $\backslash \text{end}\{\text{table}\}$

Name	Exam	Grade
Dan	97%	A

Math 101 Final Grades

File Suffixes and Types

• \LaTeX Source Files

.tex File containing a \LaTeX document
 .sty \LaTeX style file
 .cls \LaTeX document class file
 .fd Font definition file

• Files Written by \LaTeX

$\backslash \text{nofiles}$ suppresses all except .log and .dvi
 .aux cross-referencing and list information
 .dvi device independent typeset file
 .idx list of index entries (used by MakeIndex)
 .ind index file created by MakeIndex
 .glo list of glossary entries
 .lof list of figures (read by $\backslash \text{listoffigures}$)
 .lot list of tables (read by $\backslash \text{listoftables}$)
 .toc table of contents (read by $\backslash \text{tableofcontents}$)
 .bib BIB \TeX bibliographic database file
 .bst BIB \TeX bibliographic style file
 .bbl BIB \TeX document bibliography file

• \LaTeX Log Files

.log \LaTeX log file
 .ilg MakeIndex index log file
 .blg BIB \TeX log file

Copyright © 2003 J.H. Silverman, January 2003 v1.0
 Math. Dept., Brown Univ., Providence, RI 02912 USA

Permission is granted for noncommercial distribution of this card provided the copyright notice and this permission notice are preserved on all copies.

AMS- \TeX Reference Card #2

See the \TeX Reference Card for additional commands.
The notation (package) indicates a required package.

Math Environments

$\langle \dots \rangle$ or $\$ \dots \$$	inline math
$\langle [\dots] \rangle$ or $\$ \$ \dots \$ \$$	displayed math
$\begin{equation} \langle \text{equation} \rangle \dots \end{equation}$	numbered and labeled equation
\ref{eqname}	refer to labeled eqn
$\mbox{\dots}$	text in math
• The following require <code>amsmath</code>	
$\text{\text{\dots}}$	text in math
$\begin{equation*} \dots \end{equation*}$	unnumbered eqn
\tag{eqtag}	use eqtag instead of number
\notag	suppress equation tag
\eqref{eqname}	ref with parens
$\begin{subequations} \dots \end{subequations}$	group equations for numbering
$\numberwithin{equation}{section}$	number equations within sections

Theorems, Lemmas, Etc.

• Defining Theorem-Like Environments	
$\newtheorem{name}{label}$	theorem environment
$\newtheorem*{name}{label}$	unnumbered (amsthm)
$\newtheorem{name}[other name]{label}$	numbered consecutively with other environment
$\newtheorem{name}{label}[section]$	numbered by section (or chapter, etc.)
\swapnumbers	put numbers on left
• Theorem-Like Environment Styles (amsthm)	
\theoremstyle{plain}	most emphatic
$\theoremstyle{definition}$	medium emphasis
\theoremstyle{remark}	least emphatic
• Invoking Theorem-Like Environments	
$\begin{name} \dots \end{\dots}$	invoke environment
$\begin{name}[label] \dots$	invoke with new label
If proclamation starts with a list, put in \hfill	
$\begin{proof} \dots \end{\dots}$	proof environment
$\begin{proof}[label] \dots \end{\dots}$	proof with label
\qedsymbol	end of proof marker
$\renewcommand{\qedsymbol}{\dots}$	redefine marker

Commutative Diagrams (amscd)

Separate lines with \backslash , do not use $\&$	
$\begin{CD} \dots \end{CD}$	commutative diagram
$\@>\#1>\#2>$	right arrow with labels
$\@<\#1<\#2<$	left arrow with labels
$\@V\#1V\#2V$	down arrow with labels
$\@A\#1A\#2A$	up arrow with labels
$\@=$	long horizontal equal sign
$\@ $	long vertical equal sign
$\@.$	leave out an arrow

Multiline Math Displays (amsmath)

Use as $\backslash begin{command} \dots \backslash end{command}$	
Separate items with $\&$, separate lines with $\backslash \backslash$ on last line, $\backslash \langle \dim \rangle$ to skip space	
• Full Math Environments (full line)	
<code>gather</code>	centered, numbered equations
<code>gather*</code>	centered, unnumbered equations
<code>multline</code>	first line left, last line right, rest centered
<code>multline*</code>	same as multline, but unnumbered
<code>align</code>	formulas aligned at $\&$ signs
<code>align*</code>	same as align, but unnumbered
<code>flalign</code>	flush left and right align
<code>alignat</code>	align without space, needs argument $\backslash begin{alignat}\langle \# \rangle$ of cols
\intertext{text}	text between lines
\shoveleft, \shoveright	move multiline line left, right
\allowdisplaybreaks	allow page breaks ($\backslash \backslash *$ prohibits)
\displaybreak	force page break (before $\backslash \backslash$)
• Math Subenvironments (within math display)	
<code>gathered</code>	centered equations
<code>aligned</code>	formulas aligned at $\&$ signs
<code>split</code>	split long formula within other environment
<code>cases</code>	cases, with $\{$ on left
<code>matrix</code>	matrix (of up to 10 columns)
<code>pmatrix, bmatrix, vmatrix</code>	matrix variants enclosed by $(\dots), [\dots], \dots , \ \dots\ $
$\setcounter{MaxMatrixCols}\langle 12 \rangle$	increase number of matrix columns
$\hdotsfor{\langle num \rangle}$	dots across columns

Overlines, Underlines, and Arrows

$\underline{\dots}$	underline
$\overline{\dots}$	overline
$\overbrace{\dots}^{\dots}$	overbrace
$\underbrace{\dots}_{\dots}$	underbrace
$\overrightarrow{\dots}$	over right arrow
$\overleftarrow{\dots}$	over left arrow
$\overleftrightarrow{\dots}$	over left-right arrow
$\underrightarrow{\dots}, \underleftarrow{\dots}$, etc.
$\xrightarrow[bot]{top}$	stretchable w/sub/supscripts
$\xleftarrow[bot]{top}$	stretchable w/sub/supscripts

Operator Names

\arccos	\cos	\csc	\exp	\ker	\liminf	\min	\sinh
\arcsin	\cosh	\deg	\gcd	\lg	\limsup	\Pr	\sup
\arctan	\cot	\det	\hom	\lim	\log	\sec	\tan
\arg	\coth	\dim	\inf	\ln	\max	\sin	\tanh
$a \equiv b \pmod{m}$	$a \equiv b \pmod{m}$						
$a \equiv b \pmod{m}$	$a \equiv b \pmod{m}$						
$a \bmod m$	$a \bmod m$						
$\DeclareMathOperator{\cmd}{opname}$	create operator						
$\DeclareMathOperator*{\cmd}{opname}$	with limits						
$\operatorname{\dots}$	typeset as an operator						
$\operatorname*{\dots}$	with limits						

Large Operators

\sum	\sum	\bigcirc	\bigodot
\prod	\prod	\bigcup	\bigotimes
\coprod	\bigsqcup	\oplus	\bigoplus
\int	\bigvee	\uplus	\biguplus
\oint	\bigwedge		
$\substack{xxx \backslash yyy}$	stacked sub or superscripts		
\limits, \nolimits	force or forbid displayed limits		
$\oint, \iint, \iiint, \iiint, \idotsint$	integral variants (amsmath)		

Delimiters

\lbracket or \lrcorner	\lbrace or $\{$	\langle	\langle	\langle	\langle
\rbracket or \lrcorner	\rbrace or $\}$	\rangle	\rangle	\rangle	\rangle
\lvert or $\ $	\lfloor	\lceil	\lceil	\lceil	\lceil
\Vert or $\ $	\rfloor	\rceil	\rceil	\rceil	\rceil
\uparrow	\Uparrow	\Downarrow	\Downarrow	\Uparrow	\Uparrow
\downarrow	\Downarrow	\Uparrow	\Uparrow	\Downarrow	\Downarrow
$\left(\right)$	expanding delimiters				
$\left. \right.$	empty delimiters				
$\bigl(\bigr)$	big delimiters				
$\Bigl(\Bigr)$	bigger delimiters				
$\biggl(\biggr)$	even bigger delimiters				
$\bigm , \biggm $	big binary relation delimiters				

Roots

$\sqrt{\dots}$	square root $\sqrt{\quad}$
$\sqrt[n]{\dots}$	n th root $\sqrt[n]{\quad}$
$\leftroot\langle 2 \rangle, \uproot\langle 2 \rangle$	move root left or up

Ellipses

\ldots, \cdots, \dots	ellipses
\vdots, \ddots	vertical and diagonal dots
$\dotsc, \dotssb, \dotssm, \dotssi$	more ellipses (amsmath)

Fractions and Stacked Relations

$\frac{n}{d}$	fraction $\frac{n}{d}$
$\dfrac{n}{d}$	displaystyle fraction
$\tfrac{n}{d}$	textstyle fraction
$\binom{n}{d}$	binomial coefficient $\binom{n}{d}$
$\genfrac{\ldelim}{\thick}{\style}{\num}{\den}$	
$\cfrac{\dots}{\dots}$	continued fraction
$\stackrel{top}{\underset{bot}{}}$	stacked relation
$\overset{top}{\underset{bot}{}}$	stacked symbol (amsmath)
$\underset{bot}{\overset{top}{}}$	stacked relation (amsmath)
$\sideset{_{\langle ll \rangle}^{\langle ur \rangle}}{\langle largeop \rangle}$	large operator with left/right sub/supscripts

Negated Relations

\not	negate a relation
\ne	not equal \neq
\notin	not a member of \notin
\nmid	not divisible \nmid

User Defined Commands

`\newcommand{\name}{replacement text}` new command
`\newcommand{\name}[n]{text with #1,#2,...,#n}`
new command with n arguments
Example: `\newcommand{\vect}[2]{#1_1,\ldots,#1_{#2}}`
`\newcommand{\name}[n][default]{...}`
command with args and default value for #1
`\renewcommand{...}{...}` redefine existing command
`\providecommand{...}{...}` redefine if doesn't exist
`\newcommand*{...}{...}` command with one par arg
`\ensuremath{...}` forces math mode
`\show\command` print definition of `\command`
`\showthe\paramname` print value of a parameter

User Defined Environments

`\newenvironment{name}{pretext}{posttext}`
new environment with material before and after
`\newenvironment[n]{name}{...}{...}`
environment with n arguments
`\newenvironment[n][default]{name}{...}{...}`
environment with default value for #1
`\renewenvironment{name}{...}{...}` redefine envrment

MAKEINDEX

• MakeIndex File Suffixes

`.idx` MakeIndex entry listing file
`.ind` MakeIndex index file
`.ilg` MakeIndex index log file

• MakeIndex Commands in Document File

`\usepackage{makeidx}` use indexing package
(Do not include this line if using AMS packages.)

`\makeindex` tell \LaTeX to create an `.idx` file
`\printindex` tell \LaTeX to print index here
`\nofiles` suppresses creation of `.idx` and `.glo` files

• Creating MakeIndex .idx File

`\index{entry}` main entry
`\index{entry!entry}` subentry
`\index{entry!entry!entry}` subsubentry
`\index{text@entry}` with placement info
`\index{entry|see{entry}}` cross referenced entry
`\index{entry|modifier}` entry with page modifier
e.g. `\index{gnats|textbf}` give bold page number
`\index{entry|()... \index{entry|)}` page range
Special Characters: "!" "@" "|" ""

• Creating An Index With MakeIndex

- (1) Typeset document containing `\makeindex` command.
- (2) Run MakeIndex on `.idx` file to create `.ind` file.
- (3) Typeset document containing `\printindex` command.

Time and Date

`\today` current date
Use `\the` to display the following items
`\day`, `\month`, `\year`, `\time` (minutes since midnight)

Additional Text Symbols

`\dag` † `\copyright` © `\pounds` £
`\ddag` ‡ `\textcircled{r}` Ⓡ
`\P` ¶ `\textvisiblespace` ␣
`\S` § `\textbullet` •

Counters

`\newcounter{cntr}` create new counter named `cntr`
`\newcounter{cntr}[cntr1]` reset `cntr` when `cntr1` changes
`\setcounter{cntr}{value}` set value of `cntr`
`\stepcounter{cntr}` increment `cntr`
`\refstepcounter{cntr}` increment and reset `\label`
`\addtocounter{cntr}{n}` increment by n
`\value{cntr}{n}` value stored in `\cntr`
`\thecntr` the value of `cntr`
`calc` package to do counter arithmetic

• Counter Styles

`\arabic{}` `\roman{}` `\Roman{}` `\alph{}` `\Alph{}`

• Standard Counters

equation footnote figure page table
part chapter section subsection subsubsection
paragraph subparagraph enumi enumii enumiii enumiv
`secnumdepth` depth to which sections are numbered
`tocdepth` depth to which sections are put into toc

Customized List Environments

`\begin{list}{default label}{declarations}`
`\item item 1 text`
`\item item 2 text`
`\end{list}`
`\begin{trivlist}...\end{trivlist}`
list with no labels or declarations, trivial lengths

• Declarations

`\setlength{length parameter}{length}`
`\usecounter{counter name}`
[Create counter first using `\newcounter{counter name}`.]

• Length Parameters

`\topsep` separate preceding text and first item
`\parsep` separate paragraphs within items
`\itemsep` separate items
`\leftmargin` indent of item box from left margin
`\rightmargin` indent of item box from right margin
`\labelwidth` width of box for item label
`\itemindent` indent of label box from left margin
`\labelsep` separate label box from item box
`\listparindent` indent item paragraphs

The slide Document Class

`\documentclass{slides}`
`\begin{slide}`
`\begin{center}`
`\emph{Slide Title}`
`\end{center}`
Slide material
`\end{slide}`
`\begin{overlay}...\end{...}` overlay slide
`\begin{note}...\end{...}` one page note
`\onlyslides{4,8-12,19}` print only specified slides
`\onlynotes{2,8-99}` print only specified notes

BIBTEX

• BIBTEX File Suffixes

`.bib` BIBTEX bibliographic database file
`.bst` BIBTEX bibliographic style file
`.blg` BIBTEX log file
`.bbl` BIBTEX document bibliography file

• BIBTEX Commands in Document File

`\bibliographystyle{bib style file}` (e.g. `plain`, `amsplain`)
`\bibliography{bib database file(s)}`
`\cite{label}` cite a reference
`\nocite{label}` include ref in bib without citation
`\nocite{*}` include all references in bibliography
`mrabbrev.bib` AMS file with math journal abbreviations

• Creating BIBTEX Database File

`@STRING{name = "text"}` define an abbreviation
Put braces around non-initial capitalized title words.
Use `and` to separate multiple authors in author field

• General Format of a Database Entry

`@ENTRYTYPE(label,`
`fieldtype1 = "entry1",`
`fieldtype2 = "entry2",`
`:`
`:`
`)`

• Database Entry Types

`@ARTICLE(...)` `@MASTERSTHESIS(...)`
`@BOOK(...)` `@MISC(...)`
`@BOOKLET(...)` `@PHDTHESIS(...)`
`@INBOOK(...)` `@PROCEEDINGS(...)`
`@INCOLLECTION(...)` `@TECHREPORT(...)`
`@INPROCEEDINGS(...)` `@UNPUBLISHED(...)`
`@MANUAL(...)`

• Field Types Within Entries

<code>address</code>	<code>editor</code>	<code>month</code>	<code>school</code>
<code>author</code>	<code>howpublished</code>	<code>note</code>	<code>series</code>
<code>booktitle</code>	<code>institution</code>	<code>number</code>	<code>title</code>
<code>chapter</code>	<code>journal</code>	<code>organization</code>	<code>type</code>
<code>crossref</code>	<code>key</code>	<code>pages</code>	<code>volume</code>
<code>edition</code>	<code>language</code>	<code>publisher</code>	<code>year</code>

• Creating Document Bibliography With BIBTEX

- (1) Typeset document to get new `.aux` file.
- (2) Run BIBTEX on `.aux` file to create `.bbl` file.
- (3) Retypeset document twice.

The letter Document Class

`\documentclass{letter}`
`\address{... \\\... \\\...}`
`\signature{...}`
`\begin{letter}{inner address}`
`\opening{Dear Mr. X}`
`\closing{Yours truly,}`
`\cc{... \\\...}`
`\encl{...}`
`\ps{...}`
`\end{letter}`